Notice of Allowability	Application No.	Applicant(s)
	10/049,583	TANAKA ET AL.
	Examiner	Art Unit
	Prabodh M Dharia	2673
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>04-06-2005</u> .		
2. The allowed claim(s) is/are 1-10,43,44,47-49,58,64-69 and renumbered as 1-22,		
3. The drawings filed on 13 February 2002 are accepted by the Examiner.		
 4.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE:		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Page	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 06-04-02,03-14,05 4. ☐ Examiner's Comment Regarding Requirement for Deposit 	<u>–</u>	
of Biological Material	9.	
·		*

Application/Control Number: 10/049,583

Art Unit: 2673

1. Status: Receipt is acknowledged of papers submitted 04-06-2005 under amendments which, have been placed of record in the file. The Claims 52-55 are cancelled and claims 1-10,43,44,47-49,58,64-69 are pending in this office action.

Response to Amendment

2. Applicant has cancelled rejected claims 52-55 of non-final office action mailed on 01-10-2005 and remaining claims 1-10,43,44,47-49,58,64-69 were allowed; puts this application in condition for allowance.

Allowable Subject Matter

- 3. Claims 1-10,43,44,47-49,58,64-69 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

a potential of a scanning electrode becomes a first potential level Vgon when the scanning electrode is selected and becomes substantially a second potential level Vgoff during a retention period in which the scanning electrode is not selected, a potential of a common electrode that is a connection destination of storage capacitance connected to pixel electrodes of a plurality of pixels belonging to the scanning electrode becomes a first potential level Vc(+) in a case where a polarity of a video signal is positive and a second potential level Vc(-) in a case where the polarity of the video signal is negative, when the scanning electrode is selected, and in a case where a difference between the first potential level Vc(+) of the common electrode and a potential during a subsequent retention period is represented by $\gamma Vc(+)$, and a difference

Application/Control Number: 10/049,583

Art Unit: 2673

between the second potential level Vc(-) of the common electrode and a potential during a subsequent retention period is represented by $\gamma Vc(-), \gamma$ represented by $\gamma = astVcp/2$ (where Vcp= AVc(+)-Avc(-)) is set to be smaller in the portion away from the feeding ends in the screen, compared with the portion close thereto and assuming that a value of y in the portion close to the feeding end; in the screen is y(O), a value of yin the portion away from the feeding ends in the screen is y(E), and a value of yin a portion in a middle there between in terms of a distance is y(4), y(M) is smaller than [y(O) + y(E)]/2 and Vcp takes a negative value and B = agd + ast (AVcc/AVgon) (where AVgon = Vgon - Vgoff, AVcc = [AVc(+) + Vgoff, AVcc]AVc(-)]/2 is set to be larger in the portion away from the feeding ends in the screen, compared with the portion close thereto and a value of B in the portion close to the feeding ends in the screen is B(O), a value of B in the portion away from the feeding ends in the screen is B(E), and a value of B a portion in a middle there between in terms of a distance is B(M), B(M) is larger than [B(O) + B(E)]/2 and AVcc is negative and y represented by y = astVcp/2 (where Vcp = AVc(+) - Avc(-) is set to be smaller in the portion away from the feeding ends in the screen, compared with the portion close thereto, and B represented by B = agd + ast (AVcc/AVgon) (where AVgon= Vgon- Vgoff, AVcc = [AVc(+) + AVc(-)]/2 is set to be larger in the portion away from the feeding ends in the screen, compared with the portion close thereto.

The cited references on PTO 892's fail to either individually anticipate as well as render obviousness, individually or in combination underlined above claim.

Application/Control Number: 10/049,583 Page 4

Art Unit: 2673

Allowance."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Conclusion

- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prabodh M Dharia whose telephone number is 571-272-7668. The examiner can normally be reached on M-F 8AM to 5PM.
- 7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 571-272-7881. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.
- 8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Application/Control Number: 10/049,583

Art Unit: 2673

PD

AU2673

April 25, 2005

Page 5

VIJAY SHANKAR PRIMARY EXAMINER